

on the basis of PET, are used.

5. (Amended) Process according to Claim 1, wherein the non-crystallisable polyester used is a copolyester containing CHDM (1,4-cyclohexanedimethanol).

6. (Amended) Process according to Claim 5, wherein the CHDM-modified copolyester is obtained by reacting a mixture of terephthalic acid, ethylene glycol (ethanediol) and CHDM.

7. (Amended) Process according to Claim 1, wherein the non-crystallisable polyester used is a PET/PEN copolymer, which is obtained by reacting a mixture of terephthalic acid, naphthalenedicarboxylic acid and ethylene glycol (ethanediol).

8. (Amended) Process according to Claim 1, wherein the mixture has a non-crystallisable weight fraction, which is greater than 6%.

9. (Amended) Process according to Claim 8, wherein the mixture has a non-crystallisable weight fraction, which is less than 90%.

10. (Amended) Process according to Claim 8, wherein the mixture used has a non-crystallisable weight fraction which is 25% or greater.

11. (Amended) Process according to Claim 8, wherein the mixture has a non-crystallisable weight fraction which is 33% or greater.

12. (Amended) Process according to Claim 8, wherein the mixture has a non-crystallisable weight fraction which is 50% or greater.

13. (Amended) Process according to Claim 8, wherein the mixture has a non-

crystallisable weight fraction which is 66% or greater.

14. (Amended) Process according to Claim 8, wherein the mixture has a non-crystallisable weight fraction which is 75% or greater.

15. (Amended) Laminate comprising a metal substrate and a plastic layer, wherein the plastic layer comprises an adhesive layer, the adhesive layer substantially comprising a plastic web produced according to the process described in Claim 1.

16. (Amended) Laminate comprising a metal substrate and a plastic layer, wherein the plastic layer comprises a top layer, the top layer substantially comprising a plastic web produced according to the process described in Claim 1.

17. (Amended) Laminate according to Claim 15, wherein there is an intermediate layer between the adhesive layer and the top layer, the intermediate layer substantially comprising a plastic web, which is produced by extruding a polyester.

18. (Amended) Laminate according to Claim 17, wherein the intermediate layer is produced according to the process described in Claim 1.

19. (Amended) Laminate according to Claim 18, wherein the intermediate layer is produced from a mixture with a non-crystallisable weight fraction which is 10% or greater.

20. (Amended) Laminate according to Claim 19, wherein the intermediate layer is produced from a mixture with a non-crystallisable fraction which is 33% or greater.

21. (Amended) Screw cap produced from a laminate according to Claim 15.

- Sub B
Q2
Hond
CMT
22. (Amended) Crown cork produced from a laminate according to Claim 15.
23. (Amended) Easy open end produced from a laminate according to Claim 15.
24. (Amended) Component produced from a laminate according to Claim 16, in which a PVC-containing compound is applied to the top layer of the plastic layer of the laminate.
25. Component according to Claim 24, in which the non-crystallisable weight fraction in the top layer is 25% or greater.
26. Component according to Claim 24, in which the weight fraction is 35% or greater.
27. (Amended) Component according to Claim 26, in which the weight fraction is 50% or greater.
28. (Amended) Component according to Claim 27, in which the weight fraction is 66% or greater.
- Sub B
Q2
Hond
CMT

Please add the following new claims.

- AA
30. Laminate according to Claim 16, wherein there is an intermediate layer between the adhesive layer and the top layer, the intermediate layer substantially comprising a plastic web, which is produced by extruding a polyester.
31. Laminate according to Claim 30, wherein the intermediate layer is produced according to the process described in Claim 1.
- Sub B
Q2
Hond
CMT

32. Laminate according to Claim 31, wherein the intermediate layer is produced from a mixture with a non-crystallisable weight fraction which is 10% or greater.

33. Screw cap produced from a laminate according to Claim 16.

34. Crown cork produced from a laminate according to Claim 16.

35. Easy open end produced from a laminate according to Claim 16.

36. Component produced from a laminate according to Claim 17, in which a PVC-containing compound is applied to the top layer of the plastic layer of the laminate.

37. Component produced from a laminate according to Claim 29, in which a PVC-containing compound is applied to the top layer of the plastic layer of the laminate.